THE RESIDENCES AT OCEAN DRIVE CONDOMINIUM ASSOCIATION, INC. <u>Contract</u>

This Contract sets forth mutual covenants of agreement by and between:

OV	VNE	R. THE RESIDE	ENCES AT OC	EAN DRIVE CON	DOMINIUM A	ASSOCIATIO	N, IN	C. (hereinafter "Owner"), a
Flo	rida	Corporation and						
		RACTOR lorida Corporation	_	oel Glass & Mirro ability Company (_	(here		"Contractor") a ip
1.	PR	OJECT NAME.	2021 Window	s & Doors				
2.				ees to furnish all eq tract documents and		and materials	to cor	rectly provide, construct, or
3.	PROJECT SCHEDULE. Contractor shall complete project preparation, including permitting, materials purchase, as equipment scheduling, to facilitate commencing work on by 06/15/2021 and progressing uninterrupted completion within Contract calendar days or schedule. Payment amounts and time for completion Phases are:						progressing uninterrupted to	
			Project	Phase		Amount	1%	Days/Schedule
	W	ithin 7-days of E	xecuted Cont	ract		\$ 15,000	0%	N/A
	W	ithin 7-days of C	order Placeme	nt		\$ 150,000	0%	N/A
	W	ithin 7-days of C	ommencemer	nt of Work		\$ 50,000	0%	N/A
	W	ithin 7-days of 5	0% Project Co	mpleted		\$ 66,000	0%	N/A
	W	ithin 7-days of P	roject Comple	tion		\$ 50,300	0%	Approx 14 days from Start
5.	CC Da pay	cuments. The Own npliance, approve o Residences Mana Project Supervise OMPLETION. Each ys/Schedule set fort ment prior to expi	ner may appoint or reject work, appager: Steve Moor: Jim Howe her Project phase the above. All phration of the cur	a Project Supervisor prove payment, and EKeon 305/393-36 a 254/541-3099 shall be substantially asses of the Project smulative total days	to provide Proj report to the Ma 503 y complete and shall be substant of all Project Pl	ready for inspetially complete hases. Allows	verify somer.	d to Owner in the Contract specifications and selections within the Contract Calendar addy for inspection and final the made for documented all be no damage for delay,
	hov	wever Owner reserv	es the right to te	rminate the Contract	for failure to pe	erform.		and the second second second second
6.	Do	ONTRACT PRICE cuments, in current ntractor Bid/Property	funds for the L	ump Sum of: \$ 33	all contracted w 1,300.00	ork, complete Extra Char	d in co	mpliance with the Contract any, are as set forth in the
7.	PR	ogress payments wil	ENTS. Project p	orogress payments (ent Complete (Complete	are are no are not not are no are not	ot permitted by chedule itemize	y this A	greement. When permitted, e "Project Schedule" above.
	a.	Phases/Schedule, completion of rel	or Unit Pricing ated work (includes, or construct	. Upon receipt, O ading cleanup and r ion professionals to	wner will verificemediation of o	fy accuracy and damage to oth	nd insp er prop	ns to Owner, for completed ect to confirm satisfactory perty). Owner may engage stract, applicable codes, and
b	2.	upon Owners rece	eipt of Contracto		Mechanic's & N	Materialman's		orking days of receipt, and lien waivers. From each

c. b. Project Completion. The Project is considered complete when the Contract is fully performed, any incomplete or

warranties have been delivered to Owner.

unsatisfactory items ("Punch List") are complete, the Project is accepted by Owner and City of Key Colony Beach, and final lien waivers, proof of all Project permits closed out, and all product and equipment operating manuals and

Page 1 of 3

W

THE RESIDENCES AT OCEAN DRIVE CONDOMINIUM ASSOCIATION, INC. Contract

- d. e. <u>Final Payment</u>. Upon satisfaction of project completion requirements, Owner will make final payment to Contractor, including Retainage, less withholding of any Owner and Contractor agreed amount.
- 8. <u>CHANGES TO THE PROJECT</u>. Any change to the Project, including Specifications and Selections, must be authorized by written change order, signed in advance of the change, by both Parties.
- 9. CONTRACTOR'S REPRESENTATIONS. Owner enters into this Contract relying upon Contractor representations:
 - a. <u>Bid Documents</u>. Contractor accepts all terms and conditions of the Invitation to Bid the Project and Instructions to Bidders. Contractor carefully examined the Bid Documents and all physical conditions and limitations. The Bid is based upon completing the Project, as specified, for the Contract Amount in the time allotted.
 - b. <u>Site Conditions</u>. Contractor is familiar with general and local site conditions that could in any way affect cost, progress, work performance, or time for completion. Contractor does not consider any further examinations, investigations, explorations, or tests necessary for performance of the Project at the Contract Price, within contract times, and according to the Contract terms and conditions.
 - c. Governing Laws, Rules & Regulations. Contractor is familiar with, and will comply with all applicable local, state, and federal laws and regulations, and will abide by Residences Contractor Rules. The Contract Price includes the cost of all required regulatory permitting, which shall be secured by Contractor.
 - d. <u>License</u>. Contractor and/or Contractor's employees and subcontractors hold adequate professional licenses, from applicable governmental jurisdictions, to perform respective work in all Project phases.
 - e. <u>Clean up & Safety</u>. Contractor will maintain the premises clean and clear of debris, will take all reasonable safety precautions, and comply with all applicable local, state, and federal safety regulations.
 - f. Taxes. Contractor's bid includes, and Contractor will pay, all taxes applicable to the Project.
- 10. <u>CONTRACT DOCUMENTS</u>. Deviations from the Scope of Work will only be permitted and paid for by executed change order. Contractor will promptly notify Owner of any required revisions to the Scope of Work. This Contract shall take precedence over any conflict with any exhibit hereto. Contract documents are:

\times	This Contract (pages 1 to 3, inclusive)
X	Exhibit "A" Contractor Rules
X	Exhibit "B" Insurance Requirements
\times	Exhibit "C" Contract Terms & Conditions
	Exhibit "D" Project Selections
X	Exhibit "E" Contractor's Bid/Proposal (pages 1 through 58, inclusive)
	Exhibit "F" Project Plans (drawings)
	Exhibit "G"

- 11. ASSIGNMENT OF CONTRACT. This Contract can only be assigned by written mutual consent of Owner and Contractor and, specifically but without limitation, funds that may become due and funds that are due, may not be assigned without such consent (except to the extent that the effect of this restriction may be limited by law), and unless specifically stated to the contrary in any written consent to an assignment, no assignment will release or discharge the assignor from any duty or responsibility under the Contract Documents.
- 12. **DISPUTE RESOLUTION.** Owner and Contractor agree to negotiate in good faith to resolve any dispute related to this contract that may arise. If the dispute cannot be resolved by negotiation, the parties will submit the dispute to mediation before resorting to arbitration or litigation and will equally share the costs of a mutually acceptable mediator. This paragraph survives termination of this contract. This paragraph does not preclude a party from seeking equitable relief from a court of competent jurisdiction in Monroe County, Florida. The prevailing party shall be entitled to recover their reasonable attorney's fees and costs. ANY CLAIMS FOR CONSTRUCTION DEFECTS ARE SUBJECT TO THE NOTICE AND CURE PROVISIONS OF CHAPTER 558, FLORIDA STATUTES.
- 13. <u>LIABILITY & INDEMNIFICATION</u>. To the fullest extent permitted by law, Contractor shall unconditionally defend, indemnify, and hold harmless, The Residences at Ocean Drive Condominium Association, Inc., its' owners, officers, directors, employees, agents, and consultants from and against all claims, costs, damages, penalties, fines, loss, and expense, including,

Page 2 of 3

M

THE RESIDENCES AT OCEAN DRIVE CONDOMINIUM ASSOCIATION, INC. Contract

but not limited to attorneys' fees, costs, and expenses arising out of or resulting from Contractors performance, or non-performance of the Contract. Contractors indemnification includes, but is not limited to: Contractor negligence or gross negligence; strict liability; failure of Contractor, its subcontractors, agents, or employees to comply with any OSHA, federal, state, or local laws or regulations, including health and safety; breach of express or implied warranty by Contractor, its agents, or employees; defective work; work outside the scope of this Contract; or any inaccuracy or violation of any Contractor certification.

- 14. TERMINATION & DEFAULT. Owner may terminate this Contract if Contractor materially or otherwise defaults in performance of the Contract and fails to correct such default within ten(10) days of Owner's written notice. Any such termination shall be effective upon receipt of written notice to Contractor according to the Notices article of this Contract. Upon Termination, outstanding payments and retainage will be withheld and paid to Contractor 10 working days following Project completion, provided actual Project cost does not exceed the Contract Price. If actual Project cost exceeds the Contract Price, the excess amount will be deducted. Terms of this Contract shall survive Termination, Default, or Project Completion. If Owner terminates for convenience, Owner shall pay Contractor for all ordered materials and for work-in-place within ten (10) days of providing written notice of termination for convenience and receipt from Contractor of detailed charges and credits, including amounts already paid to Contractor.
- 15. <u>ASSIGNMENT</u>. Owner or Contractor assignment of any rights or interests in the Contract, shall only be binding with the express written consent of the other.
- 16. <u>SUCCESSORS & ASSIGNS</u>. Owner and Contractor each binds itself, its partners, successors, assigns, and legal representatives to the other, in respect to all covenants, agreements, and obligations contained herewith.
- 17. <u>SEVERABILITY</u>. Any provision of the Contract documents held void or unenforceable under any law or regulation, shall be deemed stricken and all remaining provisions shall continue as valid and binding, and the Contract documents reformed to replace such stricken provision with a valid and enforceable provision that comes as close as possible to expressing the intention of the stricken provision.
- 18. <u>NOTICES</u>. All notices between the parties under this contract must be in writing and are effective when hand-delivered, mailed by certified mail return receipt requested, or sent by facsimile transmission to the parties addresses or facsimile numbers stated below.
 - a. Owner also consents to receive any notices by e-mail at Owner's e-mail address stated below.
 - b. Contractor also consents to receive any notices by e-mail at Contractors e-mail address stated below.
- 19. CONTRACTOR TERMS & CONDITIONS. Owner and Contractor agree to terms and conditions detailed in Exhibit "C".

IN WITNESS WHEREOF, Owner and Contractor have signed this Contract in duplicate. One counterpart each has been delivered to Owner and Contractor. All portions of the Contract Documents have been signed or identified by Owner and Contractor or on their behalf.

THIS CONTRACT CONTAINS THE ENTIRE AGREEMENT AND MAY NOT BE CHANGED EXCEPT IN WRITING. EFFECTIVE DATE OF THIS CONTRACT 03/10/2021

OWNER: THE RESIDENCES AT OCEAN DRIVE CONDOMINIUM ASSOCIATION, INC.

By

James I. Howe, President

Jim.Howe@BelfairDev.com

Office Phone (254) 541-3099

Cell Phone (254) 541-3099

901 W Ocean Drive, Key Colony Beach, Florida 33051

CONTRACTOR: Sanibel Glass & Mirror, Inc.

By

Kevin S. Munden, President

THE RESIDENCES AT OCEAN DRIVE CONDOMINIUM ASSOCIATION, INC. <u>Contractor Rules</u>

1. Operations.

- Hours of operation. Without special permission from The Residences Manager, permitted work hours are 8:00
 a.m. to 5:00 p.m., Monday through Friday. Work that creates excessive noise is restricted and, except in emergency, can only be performed between May 1 and November 1. Work is not permitted on New Year's Day, Memorial Day, Independence Day, Thanksgiving & following day, and Christmas.
- Materials Staging. Orderly staging of construction materials must be monitored and controlled daily.
 Generally, all construction materials must be stored in a Manager pre-approved location.
- c. <u>Fire Hazard</u>. When utilizing open-flame, welding, soldering, or heat-tools, surrounding areas must be adequately protected with fire-blankets and appropriate fire-extinguisher(s) must be within easy reach of workers.
- d. <u>Construction Debris, Trash, and Clean Up.</u> The site shall be monitored and controlled daily. Minor amounts of trash may be placed in The Residences trash dumpster. Construction debris must be placed in Contractor provided containers and removed offsite (not placed in The Residences trash dumpsters or dumpster pen). Care must be taken to avoid dust contamination of buildings, units, automobiles, and grounds. Contractor's failure to comply with clean up requirements may, without notice, result in The Residences having the work performed with cost and administrative fee charged to Contractor.
- e. <u>Clean Up</u>. Daily, after work, walkway protection is to be placed in Contractor construction debris containers, stored out of sight, or removed offsite. All affected walkways, stairs, elevator, and parking surfaces must be thoroughly cleaned, swept, and/or washed with soap and water (brushed if necessary), as necessary to return to pre-construction or better condition.
- f. <u>Vehicle Parking</u>. Parking is permitted only in "Visitor Parking" or spaces designated by the Manager. During periods of congested parking, Contractor and Subcontractor employee-vehicles must be parked offsite.
- g. Toilet Facilities. Temporary toilet facilities must be provided for workers use, or offsite facilities must be used.
- 2. Property Protection. Cost of remediating damage to Association (or owners) property, caused by Contractor, Contractors employees, Subcontractors, or Suppliers, will be charged to Contractor. Affected components may include:
 - a. Windows, Exterior Doors, Screens, Screen Rooms, and Door Mats must be appropriately protected throughout the project. Exterior doors, door jambs, and sills, must be adequately protected. Screen doors must be removed and stored during drywall, plaster, and concrete work, or during substantial dust operations.
 - b. <u>Carports, Garage, Walks, Stairwells, Driveway, and Parking surfaces</u> must be adequately protected while work is being performed. Contractor protection of stairwells and walkways with carpet runners or other protection, adequate to prevent tracking, is required.
 - c. <u>Elevator Protection</u>. Contractors are not to transport tools, equipment, or materials in elevators without protective wall and floor coverings. With reasonable notice, they will be installed by the Manager.
 - d. <u>Grounds & Landscaping</u>. Contractors and subcontractors must respect The Residences grounds and landscaping by staying off the grass and out of landscape beds to the greatest extent possible. All washouts, including paint, plaster, mortar, grout, etc., <u>must be done offsite</u>.
 - e. <u>Tile Sawing</u>. Sawing, of any type tile, must be by wet-saw, and to the extent possible, performed to avoid overspray onto unit balconies, stairwells, or in any way damage adjacent property. Wet sawing on a Unit balcony may be permitted, provided Association and owners property is adequately protected. Saw-cutting residue must be contained and removed offsite.
- 3. <u>Inspections</u>. The Manager, and The Residences authorized representatives, are authorized to perform compliance inspections of the Project.
- 4. <u>Compliance</u>. In addition to compliance with all applicable governmental regulations, Contractors must comply with these "Contractors Rules".

Hour

THE RESIDENCES AT OCEAN DRIVE CONDOMINIUM ASSOCIATION, INC. <u>Contractor Insurance Requirements</u>

Contractors, their Temporary Worker Suppliers, and Subcontractors shall provide The Residences at Ocean Drive Condominium Association, Inc. (hereafter "The Residences") with proof of insurance meeting these minimum requirements.

- Proof of Insurance. Prior to commencing work, The Residences shall receive Certificates of Insurance (hereafter "COI") transmitted <u>directly</u> from Contractor's and Subcontractor's insurance carrier, insurance agent, or broker.
 - a. Required Coverage. COI's shall indicate required coverage (as set forth herein) is in force, stipulating that the coverage will not be canceled or modified until the expiration of at least thirty (30) days after written notice of such cancellation or modification has been received by The Residences.
- 2. Endorsements. COI's must include these endorsements:
 - Additional Insured. The Residences at Ocean Drive Condominium Association, Inc. its' directors, officers, employees, representatives, and The Residences condominium owners and their guests will be shown as an "Additional Insured" for General Liability and Automobile insurance. As respects General Liability, coverage will include Products/Completed Operations and be primary and non-contributory (Policy form CG 20 37 or equivalent.
 - b. <u>Waiver of Subrogation</u>. A Waiver of Subrogation for all listed coverages will be provided in favor of The Residences at Ocean Drive Condominium Association, Inc., its' directors, officers, employees, representatives, and The Residences condominium owners and their guests.
 - c. <u>Residential Exclusion</u>. General Liability coverage will not include a "residential exclusion" (including condominiums).
- Conditions. Vendors shall not violate or knowingly permit to be violated; any conditions of insurance described herein.

4. Coverage Minimums.

- a. <u>Workers' Compensation</u>. Coverage to provide full liability protection under the Workers' Compensation laws of the State of Florida with Employer's Liability coverage in limits not less than \$500,000.00 bodily injury per person, \$500,000 bodily injury by Disease Policy Limit, and \$500,000 disease each employee. Coverage is to be in the name of the Contractor and/or subcontractor and not from an employee leasing company.
- b. <u>Commercial General Liability Insurance</u>. Coverage to include an "occurrence" basis, insurance for Operations, Independent Contractors, Products and Completed Operations, and Contractual Liability Insurance. No exclusion should apply for explosion, collapse, and underground hazards. The required insurance shall be in limits not less than:
 - 1) \$1,000,000 Bodily Injury & Property Damage: (each occurrence)
 - 2) \$1,000,000 Personal Injury
 - 3) \$2,000,000 General Aggregate
 - 4) \$2,000,000 Products and Completed Operations
 - 5) \$1,000,000

 Automobile Liability Insurance Coverage to include all owned, non-owned and hired automobiles used relating to the Work with \$1,000,000 Bodily Injury & Property Damage (each occurrence) each accident combined single limit.

M

Contract Terms and Conditions

The following Terms and Conditions are hereby made part of the Contract between The Residences at Ocean Drive Condominium Association, Inc. The "association") and Sanibel Glass & Mirrors, Inc. ("Contractor"). To the extent of any inconsistencies or duplication of contractual terms, conditions, and requirements, these Contract Terms and Conditions shall prevail.

Scope of Work. Differing Conditions, and Time for Completion: Association acknowledges Contractor is making certain assumptions regarding the delivery of materials, site conditions, and access to the Property from 8 AM to 5 PM Monday through Friday and including the availability of electric and water. In the event Contractor encounters unforeseen conditions and pursuant to Paragraph 8 of the Contract, the Association will be provided written notice of the condition and an estimate of any anticipated additional costs that will result. Contractor will perform a visual inspection of the grounds to identify sprinkler lines and sprinkler heads and will use best efforts to avoid damage. However, Contractor is not liable or responsible for repairs. Contractor will trim or remove landscaping in order to access openings but, is not liable or responsible for replacement of or damage to landscaping. The Association agrees to respond to such notice within ten (10) days and will affect such change order as may be necessary. This Contract does not include, and Contractor is not responsible for any carpentry, stucco, concrete, drywall, paint, electric, tile, wallpaper, woodwork nor removal or replacement of window treatments. The Association agrees to provide paint for any touchup work or a \$75.00 per gallon charge will be assessed. Contractor will make its best efforts to timely complete the work. However, due to changing market conditions for labor and materials, timely manufacture and delivery of materials, and the possibility of inclement weather, Contractor cannot and does not provide a date certain by which the project will be complete. Contractor shall not be responsible for delays due to acts of God, strikes, lockouts, material delays, or shortages, lack of availability of utility services, fire, storm, theft, vandalism, or other causes beyond its control and in no event shall be liable for any damages for delay or loss of use.

<u>Changes and Extras</u>: The Association, subject to Paragraph 8 of the Contract, understands and agrees that changes made result in additional costs and will likely delay completion. Any and all additions, changes, or extras shall be expressly authorized in writing and paid for in full before Contractor has any duty to perform the change order work. All changes are subject to a \$100 change order fee.

Permits and Fees: The Association shall pay for required permits and inspections necessary for the proper completion of the work. Re-inspection charges resulting from lack of access will be the responsibility of the Association. Re-inspection charges resulting from failed inspections will be the responsibility of the Contractor. Any Development Fees are not included in the Contract Amount and, if assessed, will be the responsibility of the Association. If the permit is denied for any reason other than one caused by Contractor, the Association will be responsible for the permit fee in the event the contract is cancelled in addition to reasonable extension of time of any projected completion date.

Materials, Warranties, Acknowledgements, and Notices: Contractor warrants and guarantees that all materials will be new unless otherwise specified, or authorized by Owner, and that all labor will be of good quality and free from faults or defects and in accordance with the requirements of the plans, specifications, and drawings. The materials provided shall remain the property of Contractor until paid in full and the Association agrees not to remove materials from the job site until paid in full. The Association understands and agrees the price of all materials, parts, and equipment are on an exchange basis with old parts and equipment. Contractor shall not be responsible for conditions, defects, or damage to the Project that are the result of contraction, expansion, other normal or ordinary characteristics of building materials, or normal wear and tear, or lack of maintenance. The Association acknowledges building materials, especially wood and solid surfaces, will vary in color and design. Any sample provided or observed by is purely an example and a like or similar result cannot be guaranteed. Material orders cannot be cancelled once placed by Contractor. In the event the Association cancels the work for any reason prior to delivery of materials, Contractor shall retain the down payment as payment for materials. In the event the down payment will not cover material costs, the Association will remain responsible for the difference an, upon full payment, materials will be delivered to the Association Property address unless instructed otherwise in writing. The Association acknowledges that materials used by Contractor require time to

Exhibit "C" Page 1 of 2

Home



302131 1 of 58

Order Date	Request Date	Ship VIA	DoPO?	Sales Tax	SalesPerson
03/10/2021	03/24/2021		Yes	Monroe	CHRIS
				Co 7.5%	


Sold to:

SANIBEL GLASS 2470 LIBRARY WAY SANIBEL, FL 33957

Job/Ship To:

The Residences Phase 2 - FINAL ENTRY

Viewed from the Outside



RoomCode Qty Opening Dimensions 3L1 1

Line Full Description


10 SIW- FRENCH DOOR X LH OUTSWING 37 1/8 x 95 1/2 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER -8" BOTTOM RAIL -SQUARE GLAZING BEAD -SATIN NICKEL HINGES, 12" CROWN HARDWARE -MULTI-POINT LOCK

Viewed from the Outside

RoomCode Qty Opening Dimensions 3L2 1

Line Full Description

20 SIW- 600 KM-12 SGD w/STD INTERLOCKS, 4" SILL HEIGHT, XX-XX LEFT PRIMARY 143 3/8 x 95 3/8 WHITE FRAME 3-TRACK FRAME (5 1/2" DEPTH) w/CAPTURED SCREENS, CLEAR SOLARBAN 70 GLASS 9/16 HS w/SGP INTERLAYER, STAINLESS PACKAGE, SATIN NICKEL HANDLE, DUMMY HANDLE








302131 20f 58

Viewed from the Outside




RoomCode Qty Opening Dimensions 3L3 1

Line Full Description

30 SIW- PW HI RISE STORM SAFE (59 3/4 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

59 3/4



RoomCode Qty 3L3 1

Line Full Description

40 SIW- PW RESIDENTIAL STORM SAFE (30 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Opening Dimensions



98

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318

302131 30f 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 3L3 1


Line Full Description

50 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)





302131 4of 58



59 5/8

RoomCode Qty Opening Dimensions 3L4 1

Line Full Description

70 SIW- PW HI RISE STORM SAFE (59 5/8 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

Viewed from the Outside

RoomCode Qty 3L4 2

Opening Dimensions

Line Full Description


80 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)

98



Estimate 302131 5of 58

Viewed from the Outside



Opening Dimensions RoomCode Qty 3L5

Line Full Description

90 SIW- PW RESIDENTIAL STORM SAFE (29 1/2 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

29 1/2

Viewe	d from	the Ou	ıts	ide
				95 1/2
67	7 3/8		+	

RoomCode	Qty	Opening Dimensions
3L6	1	

Line Full Description

100 SIW- PW HI RISE STORM SAFE (67 3/8 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD



98

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318


302131 6of 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 3L6 1

Line Full Description


110 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)





302131 7 of 58

Viewed from the Outside




RoomCode Qty Opening Dimensions 3L8 1

Line Full Description

130 SIW- SH RESIDENTIAL STORM SAFE (36 5/8 x 62 3/4) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN

36 5/8



RoomCode Qty Opening Dimensions 3L9 1

Line Full Description

140 SIW- SH RESIDENTIAL STORM SAFE (36 5/8 x 62 3/4) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN



302131 80f 58


RoomCode 3L10

Qty

Opening Dimensions

Line Full Description

150 SIW- HR HI RISE STORM SAFE XO (107 5/8 x 59 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN




Viewed from the Outside

RoomCode Qty Opening Dimensions 3L11 1

Line Full Description

160 SIW- HR HI RISE STORM SAFE XO (107 3/4 x 59 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN





Qty

302131 90f 58

Viewed from the Outside

92

RoomCode 3L12 **Opening Dimensions**

Line Full Description

170 SIW- PW HI RISE STORM SAFE (43 1/2 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

43 1/2

Viewed from the Outside
59 3/4

RoomCode Qty Opening Dimensions 3L13 1

Line Full Description

180 SIW- PW HI RISE STORM SAFE (59 3/4 x 71 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD



302131 10of 58


Viewed from the Outside

RoomCode Qty Opening Dimensions 3L14 1

Line Full Description

190 SIW- PW HI RISE STORM SAFE (59 3/4 x 71 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

59 3/4



RoomCode Qty Opening Dimensions
3L15 1

200 SIW- PW RESIDENTIAL STORM SAFE (35 3/4 x 83 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD



302131 11of 58

RoomCode Qty Opening Dimensions 3L16 1

Line Full Description

210 SIW- PW RESIDENTIAL STORM SAFE (62 5/8 x 35 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD


|--|

62 5/8

Viewed from the Outside	RoomCode	Qty	Opening Dimensions
	3L17	1	

Line Full Description

220 SIW- PW HI RISE STORM SAFE (66 3/4 x 47 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD






302131 12of 58


RoomCode Qty Opening Dimensions 3L19 1

Line Full Description

230 SIW- PW HI RISE STORM SAFE (108 x 59 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/ SQUARE GLAZING BEAD



Viewed from the Outside



RoomCode Qty Opening Dimensions 3R1 1

Line Full Description

240 SIW- FRENCH DOOR X RH OUTSWING 37 x 95 1/2 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER -8" BOTTOM RAIL -SQUARE GLAZING BEAD -SATIN NICKEL HINGES, 12" CROWN HARDWARE -MULTI-POINT LOCK



Qty


1


302131 13of 58

RoomCode 3R2 Opening Dimensions

Line Full Description

250 SIW- 600 KM-12 SGD w/STD INTERLOCKS, 4" SILL HEIGHT, XX-XX LEFT PRIMARY 143 1/2 x 95 1/4 WHITE FRAME 3-TRACK FRAME (5 1/2" DEPTH) w/CAPTURED SCREENS, CLEAR SOLARBAN 70 GLASS 9/16 HS w/SGP INTERLAYER, STAINLESS PACKAGE, SATIN NICKEL HANDLE, DUMMY HANDLE






Viewed from the Outside	RoomCode 3R3	Qty 1	Opening Dimensions
30	CLEAR SO	ESIDENTIAL STOR	RM SAFE (30 x 95 1/2) WHITE FRAME S 7/16 IMPACT HS w/PVB INTERLAYER



302131 14of 58



RoomCode Qty Opening Dimensions 3R3 1

Line Full Description

270 SIW- PW HI RISE STORM SAFE (59 7/8 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

Viewed from the Outside

59 7/8

RoomCode Qty 3R3 1

Opening Dimensions

Line Full Description

280 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)


98




Estimate 302131 15of 58

Viewed from the Outside

95 3/8



290 SIW- PW RESIDENTIAL STORM SAFE (30 x 95 3/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD



RoomCode	Qty	Opening Dimensions
3R4	1	
Line Full Descri	ption	
300 SIW- PW H	RISE STO	ORM SAFE (59 7/8 x 95 3/8) WHITE FRAME
		0 GLASS 7/16 IMPACT HS w/SGP INTERLAYER
w/SQUARE	GLAZING	BEAD



98

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318

302131 16of 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 3R4 2

Line Full Description


310 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)





302131 17of 58


Viewed from the Outside



RoomCode Qty Opening Dimensions 3R6 1

Line Full Description

330 SIW- PW HI RISE STORM SAFE (36 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/ SQUARE GLAZING BEAD



RoomCode Qty Opening Dimensions
3R6 1

Line Full Description
340 SIW- PW HI RISE STORM SAFE (67 5/8 x 95 1/2) WHITE FRAME

340 SIW- PW HI RISE STORM SAFE (67 5/8 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD



98

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318


302131 18of 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 3R6 1

Line Full Description

350 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)




RoomCode	Qty	Opening Dimensions
3R8	1	
Line Full Descri	ption	
		STORM SAFE (36 5/8 x 62 1/2) 1/1 WHITE
		BAN 70 GLASS 7/16 IMPACT HS w/PVB
INTERLAY	ER w/SQUAF	RE GLAZING BEAD w/SCREEN



302131 19of 58

Viewed from the Outside



RoomCode Qty Opening Dimensions 3R9 1

Line Full Description


370 SIW- SH RESIDENTIAL STORM SAFE (36 5/8 x 62 1/2) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN

Viewed from the Outside

RoomCode Qty Opening Dimensions 3R10 1

Line Full Description

380 SIW- HR RESIDENTIAL STORM SAFE OX (107 7/8 x 59 1/2) 1/1
WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/
PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN





Qty


302131 20of 58

the Outside RoomCode
3R11

Opening Dimensions

Line Full Description

390 SIW- HR RESIDENTIAL STORM SAFE OX (107 3/4 x 59 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/ PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN







302131 21of 58

Viewed from the Outside

(239) 472-5318

RoomCode Qtv Opening

RoomCode Qty Opening Dimensions
3R13 1

Line Full Description

410 SIW- PW HI RISE STORM SAFE (59 5/8 x 71 3/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

59 5/8

Viewed from the Outside	
	5 7 7
59 5/8	

RoomCode Qty Opening Dimensions 3R14 1

Line Full Description

420 SIW- PW HI RISE STORM SAFE (59 5/8 x 71 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD



Estimate 302131 22of 58

Viewed from the Outside

83

RoomCode Qty **Opening Dimensions** 3R15

Line Full Description

430 SIW- PW RESIDENTIAL STORM SAFE (35 7/8 x 83 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

35 7/8

Viewed from the Outside

RoomCode Qty 3R16

Opening Dimensions

Line Full Description

440 SIW- PW RESIDENTIAL STORM SAFE (62 5/8 x 35 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD





302131 23of 58

RoomCode 3R17

Qty

Opening Dimensions

Line Full Description

450 SIW- PW HI RISE STORM SAFE (66 3/4 x 47 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD


47 5/8

66 3/4

RoomCode	Qty	Opening Dimensions
3R19	1	

Line Full Description


460 SIW- PW HI RISE STORM SAFE (107 7/8 x 59 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD





302131 24of 58

Viewed from the Outside



37 1/8

RoomCode Qty Opening Dimensions 2L1 1

Line Full Description


470 SIW- FRENCH DOOR X LH OUTSWING 37 1/8 x 95 3/4 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER -8" BOTTOM RAIL -SQUARE GLAZING BEAD -SATIN NICKEL HINGES, 12" CROWN HARDWARE -MULTI-POINT LOCK

Viewed from the Outside

RoomCode Qty Opening Dimensions 2L2 1

Line Full Description


480 SIW- 600 KM-12 SGD w/STD INTERLOCKS, 4" SILL HEIGHT, XX-XX LEFT PRIMARY 143 3/8 x 95 1/2 WHITE FRAME 3-TRACK FRAME (5 1/2" DEPTH) w/CAPTURED SCREENS, CLEAR SOLARBAN 70 GLASS 9/16 HS w/SGP INTERLAYER, STAINLESS PACKAGE, SATIN NICKEL HANDLE, DUMMY HANDLE





302131 25of 58

Viewed from the Outside




RoomCode Qty Opening Dimensions 2L3 1

Line Full Description

490 SIW- PW HI RISE STORM SAFE (59 3/4 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

59 3/4



RoomCode Qty 2L3 1

Line Full Description

500 SIW- PW RESIDENTIAL STORM SAFE (30 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Opening Dimensions



98

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318

302131 26of 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 2L3 1

Line Full Description

510 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)

Viewed from the Outside

RoomCode Qty Opening Dimensions
2L4 1

Line Full Description
520 SIW- PW HI RISE STORM SAFE (59 3/4 x 95 1/2) WHITE FRAME
CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER
w/SQUARE GLAZING BEAD



302131 27of 58

Viewed from the Outside

RoomCode Qty 2L4 2

Line Full Description

530 SIW- PW RESIDENTIAL STORM SAFE (30 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Opening Dimensions

30 Viewed from the

Viewed from the Outside

RoomCode Qty Opening Dimensions 2L4 2

Line Full Description


540 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)

98



302131 28of 58

Viewed from the Outside



95

29 5/8

RoomCode Qty Opening Dimensions 2L5 1

Line Full Description

550 SIW- PW RESIDENTIAL STORM SAFE (29 5/8 x 95 3/4) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Viewed from the Outside


8/9 96

RoomC	ode	Qty	Opening Dimensions
2L6		1	
CLE	- PW Hİ AR SOL	RISE STO	ORM SAFE (67 5/8 x 95 5/8) WHITE FRAME O GLASS 7/16 IMPACT HS w/SGP INTERLAYER BEAD



302131 29of 58

Viewed from the Outside



Viewed from the Outside

RoomCode Qty Opening Dimensions 2L6 1

Line Full Description

RoomCode

570 SIW- PW HI RISE STORM SAFE (36 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/ SQUARE GLAZING BEAD

Opening Dimensions


Line Full Description
580 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)

Qty



Estimate 302131 30of 58

Viewed from the Outside




RoomCode Qty **Opening Dimensions** 2L8

Line Full Description

590 SIW- SH RESIDENTIAL STORM SAFE (36 3/4 x 62 3/4) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN

36 3/4

Viewed from the Outside



RoomCode 2L9 1

Qty

Opening Dimensions

Line Full Description

600 SIW- SH RESIDENTIAL STORM SAFE (36 3/4 x 62 3/4) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN



302131 31 of 58


RoomCode 2L10

Qty

Opening Dimensions

Line Full Description

610 SIW- HR HI RISE STORM SAFE XO (107 5/8 x 59 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN




Viewed from the Outside

RoomCode Qty Opening Dimensions 2L11 1

Line Full Description


620 SIW- HR HI RISE STORM SAFE XO (107 5/8 x 59 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN





302131 320f 58

Viewed from the Outside



43 1/2

RoomCode Qty Opening Dimensions 2L12 1

Line Full Description

630 SIW- SH HERCULES (HIGH SILL/REINFORCEMENT) STORM SAFE (43 1/2 x 95 5/8) (6 HI SASH) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN

Viewed from the Outside

RoomCode Qty Opening Dimensions 2L13 1

Line Full Description

71

640 SIW- PW HI RISE STORM SAFE (59 5/8 x 71 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS W/SGP INTERLAYER W/SQUARE GLAZING BEAD

59 5/8



302131 330f 58

Viewed from the Outside


17 3/4 Alexandria (1974)

RoomCode Qty Opening Dimensions 2L14 1

Line Full Description

650 SIW- PW HI RISE STORM SAFE (59 5/8 x 71 3/4) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

59 5/8



RoomCode Qty Opening Dimensions

Line Full Description

660 SIW- PW RESIDENTIAL STORM SAFE (35 3/4 x 83 3/4) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD



302131 34of 58

RoomCode Qty Opening Dimensions 2L16 1

Line Full Description

670 SIW- PW RESIDENTIAL STORM SAFE (62 5/8 x 35 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

26.470

62 5/8

66 5/8

Viewed from the Outside	RoomCode 2L17	Qty 1	Opening Dimensions
		I RISE ST LARBAN	FORM SAFE (66 5/8 x 47 5/8) WHITE FRAME 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER G BEAD




302131 35of 58

RoomCode Qty Opening Dimensions 2L19 1

Line Full Description

690 SIW- PW HI RISE STORM SAFE (107 5/8 x 59 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD



107 5/8

95 5/8	Viewed	l fro	m the Outside
37 1/8	07.40		95 5/8

RoomCode	Qty	Opening Dimensions
2R1	1	

Line Full Description

700 SIW- FRENCH DOOR X RH OUTSWING 37 1/8 x 95 5/8 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER -8" BOTTOM RAIL -SQUARE GLAZING BEAD -SATIN NICKEL HINGES, 12" CROWN HARDWARE -MULTI-POINT LOCK





302131 36of 58

RoomCode 2R2 Qty 1 **Opening Dimensions**

Line Full Description

710 SIW- 600 KM-12 SGD w/STD INTERLOCKS, 4" SILL HEIGHT, XX-XX LEFT PRIMARY 143 5/8 x 95 3/8 WHITE FRAME 3-TRACK FRAME (5 1/2" DEPTH) w/CAPTURED SCREENS, CLEAR SOLARBAN 70 GLASS 9/16 HS w/SGP INTERLAYER, STAINLESS PACKAGE, SATIN NICKEL HANDLE, DUMMY HANDLE






Viewed from the Outside	RoomCode 2R3	Qty 1	Opening Dimensions
30	CLEAR SO	ESIDENTIAL STOF	RM SAFE (30 x 95 1/2) WHITE FRAME S 7/16 IMPACT HS w/PVB INTERLAYER



302131 37of 58



RoomCode Qty Opening Dimensions 2R3 1

Line Full Description

730 SIW- PW HI RISE STORM SAFE (59 3/4 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

59 3/4
Viewed from the Outside

RoomCode Qty Opening Dimensions 2R3 1

Line Full Description


740 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)

98



Estimate 302131 38of 58


Viewed from the Outside



RoomCode Qty **Opening Dimensions** 2R4 2

Line Full Description

750 SIW- PW RESIDENTIAL STORM SAFE (30 x 95 3/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD



Opening Dimensions RoomCode Qty 2R4 **Line Full Description** 760 SIW- PW HI RISE STORM SAFE (59 7/8 x 95 3/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD



98

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318


302131 39of 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 2R4 2

Line Full Description


770 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)





Estimate 302131 40of 58


Viewed from the Outside



RoomCode Qty **Opening Dimensions** 2R6

Line Full Description

790 SIW- PW HI RISE STORM SAFE (36 x 95 3/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/ SQUARE GLAZING BEAD



Opening Dimensions RoomCode Qty 2R6 **Line Full Description** 800 SIW- PW HI RISE STORM SAFE (67 5/8 x 95 3/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD



98

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318


302131 41of 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 2R6 1

Line Full Description

810 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)




RoomCode	Qty	Opening Dimensions
2R8	1	
FRAME CL	ESIDENTIAL EAR SOLAF	STORM SAFE (36 5/8 x 62 1/2) 1/1 WHITE RBAN 70 GLASS 7/16 IMPACT HS w/PVB RE GLAZING BEAD w/SCREEN



302131 42of 58

Viewed from the Outside



RoomCode Qty Opening Dimensions 2R9 1

Line Full Description


830 SIW- SH RESIDENTIAL STORM SAFE (36 5/8 x 62 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN

Viewed from the Outside

RoomCode	Qty	Opening Dimensions
2R10	1	

Line Full Description

840 SIW- HR RESIDENTIAL STORM SAFE OX (107 3/4 x 59 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN





302131 43of 58


RoomCode 2R11 Qty

Opening Dimensions


Opening Dimensions

Line Full Description

850 SIW- HR RESIDENTIAL STORM SAFE OX (107 5/8 x 59 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/ PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN



Viewed from the Outside



RoomCode Qty 2R12 1

Line Full Description

860 SIW- SH HERCULES (HIGH SILL/REINFORCEMENT) STORM SAFE (43 5/8 x 95 3/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD w/ SCREEN



302131 44of 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 2R13 1

Line Full Description

870 SIW- PW HI RISE STORM SAFE (59 3/4 x 71 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

59 3/4

Viewed from the Outside	
	C.
59 3/4	

RoomCode Qty 2R14 1 **Opening Dimensions**

Line Full Description

880 SIW- PW HI RISE STORM SAFE (59 3/4 x 71 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD



Estimate 302131 45of 58

Viewed from the Outside

83

RoomCode Qty **Opening Dimensions** 2R15

Line Full Description

890 SIW- PW RESIDENTIAL STORM SAFE (35 7/8 x 83 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

35 7/8

Viewed from the Outside

RoomCode Qty 2R16

Opening Dimensions

Line Full Description

900 SIW- PW RESIDENTIAL STORM SAFE (62 5/8 x 35 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD





302131 46of 58

RoomCode 2R17

Qty

Opening Dimensions

Line Full Description

910 SIW- PW HI RISE STORM SAFE (66 3/4 x 47 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

47 5/8

66 3/4

Viewed from the Outside

RoomCode	Qty	Opening Dimensions
2R19	1	

Line Full Description


920 SIW- PW HI RISE STORM SAFE (107 3/4 x 59 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD





302131 47 of 58

Viewed from the Outside



37 1/8

RoomCode Qty Opening Dimensions
1L1 1

Line Full Description


930 SIW- FRENCH DOOR X LH OUTSWING 37 1/8 x 95 3/4 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER -8" BOTTOM RAIL -SQUARE GLAZING BEAD -SATIN NICKEL HINGES, 12" CROWN HARDWARE -MULTI-POINT LOCK

Viewed from the Outside

RoomCode Qty Opening Dimensions

Line Full Description


940 SIW- 600 KM-12 SGD w/STD INTERLOCKS, 4" SILL HEIGHT, XX-XX LEFT PRIMARY 143 3/8 x 95 1/2 WHITE FRAME 3-TRACK FRAME (5 1/2" DEPTH) w/CAPTURED SCREENS, CLEAR SOLARBAN 70 GLASS 9/16 HS w/SGP INTERLAYER, STAINLESS PACKAGE, SATIN NICKEL HANDLE, DUMMY HANDLE





302131 48of 58

Viewed from the Outside



RoomCode Qty Opening Dimensions 1L3 1

Line Full Description

950 SIW- PW HI RISE STORM SAFE (59 3/4 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 9/16 IMPACT HS w/SGP INTERLAYER w/SQUARE GLAZING BEAD

59 3/4

Viewed from the Outside

RoomCode Qty

Line Full Description

960 SIW- PW RESIDENTIAL STORM SAFE (30 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Opening Dimensions



98

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318


302131 49of 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 1L3 1

Line Full Description


970 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)





Estimate 302131 50of 58

Viewed from the Outside



RoomCode Qty **Opening Dimensions** 1L4 2

Line Full Description

990 SIW- PW RESIDENTIAL STORM SAFE (30 x 95 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Viewed from the Outside	RoomCode 1L4	Qty 2	Opening Dimensions
	Line Full Descri 1000 VERTICAL		x 1/8 MULL WHITE FRAME 98 (w/1X3 CLIPS)
86			




302131 51of 58

RoomCode Qty Opening Dimensions 1L5 1

Line Full Description

1010 SIW- PW RESIDENTIAL STORM SAFE (67 5/8 x 35 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD



67 5/8

36

RoomCode	Qty	Opening Dimensions
11.5	1	

Line Full Description

1020 SIW- PW RESIDENTIAL STORM SAFE (36 x 35 1/2) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD



38

SANIBEL GLASS and MIRROR 2470 LIBRARY WAY SANIBEL, FL 33957 (239) 472-5318


302131 520f 58

Viewed from the Outside

RoomCode Qty Opening Dimensions 1L5 1

Line Full Description

1030 VERTICAL SIW- 1 x 3 x 1/8 MULL WHITE FRAME 38 (w/1X3 CLIPS)




RoomCode	Qty	Opening Dimensions
1L7	1	
Line Full Descri	ption	
1040 SIW- SH R	ESIDENTIA	L STORM SAFE (36 5/8 x 62 3/4) 1/1 WHITE
FRAME CL	EAR SOLAI	RBAN 70 GLASS 7/16 IMPACT HS w/PVB
INTERLAYI	ER w/SQUA	RE GLAZING BEAD w/SCREEN



302131 53of 58

Viewed from the Outside



RoomCode Qty Opening Dimensions 1L8 1

Line Full Description


1050 SIW- SH RESIDENTIAL STORM SAFE (36 5/8 x 62 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN

Viewed from the Outside

RoomCode	Qty	Opening Dimensions
11.9	1	

Line Full Description

1060 SIW- HR RESIDENTIAL STORM SAFE XO (107 5/8 x 59 5/8) 1/1
WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/
PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN





302131 54of 58

Viewed from the Outside

RoomCode 1L10

Qty

Opening Dimensions

Line Full Description

1070 SIW- PW RESIDENTIAL STORM SAFE (35 5/8 x 35 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

35 5/8

35 5/8

Viewed from the Outside

RoomCode Qty Opening Dimensions

Line Full Description

1080 SIW- FRENCH DOOR X RH OUTSWING 37 1/8 x 95 5/8 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER -8" BOTTOM RAIL -SQUARE GLAZING BEAD -SATIN NICKEL HINGES, 12" CROWN HARDWARE -MULTI-POINT LOCK




302131 55of 58


Viewed from the Outside Ro

RoomCode Qty Opening Dimensions 1R2 1

Line Full Description

1090 SIW- 600 KM-12 SGD w/STD INTERLOCKS, 4" SILL HEIGHT, XX-XX LEFT PRIMARY 143 7/8 x 95 1/2 WHITE FRAME 3-TRACK FRAME (5 1/2" DEPTH) w/CAPTURED SCREENS, CLEAR SOLARBAN 70 GLASS 9/16 HS w/SGP INTERLAYER, STAINLESS PACKAGE, SATIN NICKEL HANDLE, DUMMY HANDLE









302131 56of 58

Viewed from the Outside

RoomCode Qty 1R4 1

Line Full Description

1110 SIW- PW RESIDENTIAL STORM SAFE (29 3/4 x 95 5/8) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Opening Dimensions

95 5/8


29 3/4

Viewed from the Outside		RoomCode	Qty	Opening Dimensions
		1R5	1	
	•	Line Full Descri		
				ORM SAFE (59 1/2 x 71 3/4) WHITE FRAME 70 GLASS 7/16 IMPACT HS w/SGP INTERLAYER
		w/SQUARE		
	3/4			
	71 :			
Ц				
	_			
59 1/2				



302131 57of 58

Viewed from the Outside



RoomCode Qty Opening Dimensions
1R6 1

Line Full Description

1130 SIW- PW RESIDENTIAL STORM SAFE (29 5/8 x 71 3/4) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

29 5/8

RoomCode Qty 1R7 1

Line Full Description

1140 SIW- PW RESIDENTIAL STORM SAFE (36 1/2 x 62 3/4) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Opening Dimensions




302131 58of 58

ons

RoomCode Qty Opening Dimensions
1R8 1

Line Full Description

1150 SIW- HR RESIDENTIAL STORM SAFE OX (107 3/4 x 59 5/8) 1/1 WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD w/SCREEN



Viewe				
	3	35 3/4		

RoomCode	Qty	Opening Dimensi
1R9	1	

Line Full Description

1160 SIW- PW RESIDENTIAL STORM SAFE (35 3/4 x 35 3/4) WHITE FRAME CLEAR SOLARBAN 70 GLASS 7/16 IMPACT HS w/PVB INTERLAYER w/SQUARE GLAZING BEAD

Material, Tax, Installation: \$331,300

Includes:

Removal/Disposal Of Old Products
Monroe Dump Fees
Inspection/Replacement Of Bucks If needed
(Phase 1 required approx 50% replacement)
Grace Vycor Window Wrap Bucks
Installation Per NOA
Titebond Ultimate MP Sealants
Elco SS 1/4" x 2 3/4" fasteners
Synthetic Shims

Does NOT include KCB permit fee - This will be billed separately.